

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/17/2014  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>15C0001036</b>		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>10/07/2014</b>	
NAME OF PROVIDER OR SUPPLIER  <b>WILLIAMS EYE SURGERY CENTER - MERRILLVILLE</b>				STREET ADDRESS, CITY, STATE, ZIP CODE <b>8514 BROADWAY MERRILLVILLE, IN 46410</b>			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
Q 000	<p>INITIAL COMMENTS</p> <p>This visit was for a recertification survey.</p> <p>Facility Number: 005727</p> <p>Survey Date: 10/06/2014 &amp; 10/07/2014</p> <p>Surveyors: ReBecca Lair, LCSW Medical Surveyor</p> <p>Jacqueline Brown, RN Public Health Nurse Surveyor</p> <p>Williams Eye Surgery Center-Merrillville is in compliance with 42 CFR Part 416.40, Requirements for Ambulatory Surgery Centers.</p> <p>QA: cloughlin 10/16/14</p>			Q 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.